CITY OF DENTON PARKS AND RECREATION DEPARTMENT

MAINTENANCE STANDARD & CLASSIFICATION SYSTEM

The Maintenance Standard & Classification System establishes guidelines that direct staff in the maintenance of all properties under the management of the City of Denton Parks and Recreation Department. Maintenance standards and classifications are assigned to park areas based on the type of use and the level of development at each site. Multiple classification levels may exist at any one park.

CLASS A - Highest level of maintenance for high visibility/ high use park areas on developed park land. (Civic Center, athletic fields, public building entries)

CLASS B - Moderate level of maintenance for locations with moderate activity & visibility. (Most neighborhood parks)

CLASS C - Limited level of maintenance for naturalized areas that receive minimum use and no hardscape development. (Perimeter control, roadside mowing, wildflower areas)

CLASS D - Base level of maintenance for undeveloped park sites, natural, open space, greenbelts and preserves.

City of Denton Parks and Recreation Department PARK CLASSIFICATION PLAN TURFGRASS MAINTENANCE

MAINTENANC E TASK	Class AA	Class A	Class B	Class C	Class D
Mow, edge, and trim	2 times per week Mow at 1.5 – 2", clippings not collected	32 mowing cycles per year every 7 days at 2.5-3", clippings not collected. Leaves are shredded and returned to soil.	Every 14 days Mow at 2.5-3", clippings not collected. Leaves are shredded and returned to soil.	5-7 mowing cycles. Mow at 4-6" clippings not collected. Leaves are shredded and returned to soil.	As needed to maintain an identified particular natural state or within City code
Fertilization	4-5 lbs of Nitrogen per 1000 sf per year	3 lbs Nitrogen per 1000 sf per year in 2 applications – In conjunction with Athletic field fertilization	As needed	None	None
Irrigation	Minimum of 1" per week, repairs w/in 24 hours. Potential increase watering due to drought or ryegrass transition. Deep watering cycles recommended	Approximate 1" per week, repairs within 48 hours.	None	None	None
Aerification	5 times per year in conjunction with fertilizer applications	As needed	As needed	None	None
Over-seed/sod	Over-seed Ryegrass on athletic fields Oct. 1 Sod during field renovations	Overseed all bare areas in turfgrass once during growing season.	As needed	None	None
Leaf Removal	Mow & mulch	Mow & mulch	Mow & Mulch	None	None
Pesticide Program: - Herbicide - Insecticide - Fungicide	January, February, March Pre-emergent for summer grassy	January, February, March Non selective herbicide on	January, February, March Non selective herbicide on	As needed to maintain an identified particular	As needed to maintain an identified particular
- Rodentcide	weeds. (Oxidiazon) Glyphosate on infield skinned surfaces and transition areas	dormant Bermuda Pre-emergent for summer grassy weeds (Barricade	dormant Bermuda Pre-emergent for summer grassy weeds (Barricade	natural state or within City code.	natural state or within City code.
	during the growing season	Dimension, Specticle, or Pendimethalin	Dimension, Specticle, or Pendimethalin		

	a		1	1	1
	Spot treat broadleaf				
	and/or grassy weed	May and August -	May and August -		
	infestations during	Broadcast	Broadcast		
	from March until	treatment for fire	treatment for fire		
	December	ants with Advion,	ants with Advion,		
		Extinguish, or	Extinguish, or		
	May and August -	Award II, 11b per	Award II, 11b per		
	Broadcast treatment	acre. Spot treat for	acre. Spot treat for		
	for fire ants with	fire ants during the	fire ants during the		
	Advion, Extinguish,	warm season	warm season		
	or Award II, 11b per				
	acre. Spot treat for	April – September	April – September		
	fire ants during the	Monitor and treat	As need, dependent		
	warm season.	pest infestations	on location, pest		
		such as Grub	and amount of		
	April - September	Worms, Army	infestation		
	Monitor and treat for	Worms and other	mestation		
	pest infestations such	pests that	August and		
	as Grub Worms,	detrimental to plant	September		
	Army Worms and	health or public	Pre-emergent for		
	other pesticides	safety.	winter weeds by		
	detrimental to plant	salety.	October 1.		
	health or public	August and			
	-	September			
	safety.	-			
		Pre-emergent for winter weeds by			
		whiter weeds by			
1		$O \cdot (\cdot 1 \cdot 1 \cdot 1)$			
		October 1.			
			T. (1.1)	N	N
Fertilizer &	February	April, May, June	Treat as needed to	None	None
Aerification	15-0-5 with pre-	April, May, June A single	Treat as needed to prevent loss of turf	None	None
	15-0-5 with pre- emergent for control	April, May, June A single application of		None	None
Aerification	15-0-5 with pre-	April, May, June A single application of fertilizer should		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds	April, May, June A single application of fertilizer should take place by mid-		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March	April, May, June A single application of fertilizer should take place by mid- May. It should be		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound		None	None
Aerification	15-0-5 with pre- emergent for control of summer weedsMarch A single application of fertilizer should	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf.		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf.	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer.		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August,		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May A single application	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of fertilizer should		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May A single application	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of fertilizer should		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May A single application of slow release	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of fertilizer should take place during		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May A single application of slow release fertilizer should take	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of fertilizer should take place during this period in mid-		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May A single application of slow release fertilizer should take place	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of fertilizer should take place during this period in mid- July. It should be		None	None
Aerification	15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May A single application of slow release fertilizer should take place Aerification of turf	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of fertilizer should take place during this period in mid- July. It should be applied at 1 pound		None	None
Aerification	 15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May A single application of slow release fertilizer should take place Aerification of turf should be done just 	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of fertilizer should take place during this period in mid- July. It should be applied at 1 pound of N per 1000 sf. Aerification of turf		None	None
Aerification	 15-0-5 with pre- emergent for control of summer weeds March A single application of fertilizer should take place. 1 lb of N per 1000sf. Aerification of turf should be done just prior to application of fertilizer May A single application of slow release fertilizer should take place Aerification of turf should be done just 	April, May, June A single application of fertilizer should take place by mid- May. It should be applied at 1 pound of N per 1000 sf. Aerification of turf should be done just prior to application of fertilizer. July, August, September One application of fertilizer should take place during this period in mid- July. It should be applied at 1 pound of N per 1000 sf.		None	None

	July A single application of fertilizer should take place Aerification of turf should be done just prior to application of fertilizer. August, September A single application of slow release fertilizer should take place Aerification of turf should be done just	of fertilizer.			
Action Threshold	prior to application of fertilizer. Currently practicing good turf health practices, such as over-seeding, mulching, aeration, etc. Other measures will be taken prior to infestations to prevent degradation of the aesthetics, to eliminate rapidly declining plant health, to eliminate negative impacts on athletic programs and/or a threat to the public (wasps, mosquitos, etc.)	In some cases pests can be tolerated and is only considered a nuisance pest. Measures may be taken when infestations are present and are detrimental to plant health and a threat to public safety. Pests will be controlled in active areas such as playgrounds, hard surface trails, and around public buildings.	In some cases pests can be tolerated and is only considered a nuisance pest Vegetation is critical for stream stabilization and is tolerated in specific locations. Measures may be taken when infestations are present and are detrimental to plant health and a threat to public safety. Pests will be controlled in active areas such as playgrounds, hard surface trails, and around public buildings.	As needed to maintain an identified particular natural state or within City code.	Measures will be taken for vegetation encroachment on soft surface trails.

City of Denton Parks and Recreation Department PARK CLASSIFICATION PLAN TREE / SHRUB MAINTENANCE

MAINTENANCE TASK	Class A	Class B	Class C	Class D
Tree Trimming	Remove low limbs as needed for safety & equipment access.	Only hazardous limbs as needed.	Only hazardous limbs as needed.	Only hazardous limbs as needed.
Shrub Trimming	Complete trim 5-7 times per year.	Complete trim 5 times per year.	Not performed	Not performed
Pesticide Program.	As needed to prevent loss of plant material.	As needed to prevent loss of plant material.	Not performed	Not performed
Fertilization	2 times/year	Not performed	Not performed	Not performed
Stump Removal	As needed when higher priority projects are completed.	As needed during winter.	As needed during winter.	Only hazardous trees as needed, others maintained for wildlife habitat.
Action Threshold	Choosing proper plant material and practicing proper planting methods, fertilizing, mulching, etc.	In some cases pests can be tolerated and is only considered a nuisance pest.	As needed to maintain an identified particular natural state or	None
	Other measures will be taken prior to infestations to prevent degradation of the aesthetics, rapidly declining plants, and/or hazardous situations to the public (wasps, mosquitos, etc.)	Other measures will be taken prior to infestations to prevent degradation of the aesthetics, rapidly declining plants, and/or hazardous situations to the public (wasps, mosquitos, etc.)	within City code.	

City of Denton Parks and Recreation Department PARK CLASSIFICATION PLAN FLOWERBED/PLANTING MAINTENANCE

MAINTENANCE TASK	Class AA & A	Class B	Class C	Class D
Planting/Bed Preparation	2 changes per year, when color is present.	Not performed	Not performed	Not performed
Fertilization	At planting; Bi- monthly after planting when color is present	Not performed	Not performed	Not performed
Cultivation	2 times per year for color change outs	Not performed	Not performed	Not performed
Mulch	Apply every 18 months or as needed (not in color beds)	Apply every 18 months or as needed	Not performed	Not performed
Pest Control	Treat as needed to prevent loss of plant and degradation of appearance.	Treat as needed to prevent loss of plant material.	Not performed	Not performed
Action Threshold	Choosing proper plant material and practicing proper planting methods, fertilizing, mulching, etc.	Choosing proper plant material and practicing proper planting methods, fertilizing, mulching, etc.	Not Applicable	Not Applicable
	Other measures will be taken prior to infestations to prevent degradation of the aesthetics, rapidly declining plants, and/or hazardous situations to the public (wasps, mosquitos, etc.)	Other measures will be taken prior to infestations to prevent degradation of the aesthetics, rapidly declining plants, and/or hazardous situations to the public (wasps, mosquitos, etc.)		

City of Denton Parks and Recreation Department PARK CLASSIFICATION PLAN PARK LITTER CONTROL

MAINTENANCE TASK	Class A	Class B	Class C	Class D
Pick up ground trash & litter; empty receptacles	Pick up trash and litter 5 days per week. All year Weekend trash route at more populated parks	Pick up trash, litter and other debris twice per week from April through October. From November through March, pick up trash in all conspicuous park areas once per week. All year Weekend trash route at more populated parks	Pick up trash, litter and debris from all conspicuous park areas weekly from April through October, monthly from November through March.	Remove illegal dumping as needed.

City of Denton Parks and Recreation Department PARK CLASSIFICATION PLAN ROAD & PARKING LOT MAINTENANCE

MAINTENANCE TASK	Paved Lots	Unpaved Lots
Inspect	Weekly	Weekly
Repair	As needed depending	As needed depending upon severity.
	upon severity.	
Sweep	2 times/year or as	
	needed	
Edge	Per mowing schedule	Per mowing schedule
Weed Control	Apply pre-and post-	Apply post-emergent herbicides three
	emergent herbicides	times per year.
	as needed to control	
	unwanted vegetation	
	growing in expansion	
	cracks.	
Crack Fill	As needed	
Seal Coat/Overlay	As needed	
Grade		As needed
Clean culverts and drain pipes	Monthly or as needed	Quarterly or as needed
Striping/marking and wheel stops	Repaint every 2 years	

City of Denton Parks and Recreation Department PARK CLASSIFICATION PLAN PLAYGROUND MAINTENANCE

MAINTENANCE TASK	Class A & B
Initial Audit	New Installation
High frequency inspections	Weekly - Litter control, redistribute attenuating surfacing, free of vegetation and debris
Low Frequency inspections	6 times per year – loose or broken parts, component durability
Repair	As needed, immediately after receiving parts

City of Denton Parks and Recreation Department PARK CLASSIFICATION PLAN PARK AMENITIES MAINTENANCE

MAINTENANCE TASK	Class A, B, C, D
Clean restrooms	Clean and restock daily
Restroom maintenance & repairs	Work order within 24 hours
Inspect Drinking Fountains	Weekly during season of use – Mar 15 – Nov 15
Clean shelters and Picnic Pavilions	Weekly or clean when reserved for special events
Pressure Wash	As needed
Vandalism/Graffiti	Address within 48 hours of notification earlier if inappropriate graffiti
Water Features	
Mechanical (Fountains)	Inspect weekly when in use.
Natural (Ponds. Lakes)	Inspect quarterly & maintain as needed.
Inspect and/or repair benches, tables, grills	Monthly or as needed
Inspect and/or repair park and directional/street signs	Quarterly or as needed
Inspect and/or repair fencing	Quarterly or as needed
Inspect and/or repair security & parking lot lighting	Monthly or as needed
Inspect and/or repair swimming pools	Daily or as needed during season Pre & Post season inspection of major repairs.
Inspect and/or repair neighborhood tennis nets, net covers, striping, and backboards.	Monthly or as needed
Inspect and/or repair traffic barriers (post & cable, bollards, gates, handrails)	Monthly or as needed
Inspect and/or repair bridges.	Quarterly or as needed
Inspect Hike & Bike / Rail Trail	Quarterly or as needed
Inspect and/or repair sidewalks	Quarterly or as needed
Creeks and drainage ditches	As needed

City of Denton Parks and Recreation Department PARK CLASSIFICATION PLAN ATHLETIC FIELD MAINTENANCE

MAINTENANCE TASK	Class AA & A
Baseball Field	
Annual Off Season Maintenance	-Once a year add clay or amendment if needed. -Till up clay area to break up hard spots. -Blade clay areas to proper grade.
	-Remove any silt build up along grass and fence lines.
	-Check outfield grass area for high and or low areas, and for large cracks, silt in material if needed.
Grounds Maintenance - League play,	
good quality, maintain safety standards	
Maintained -	-As scheduled for games
Restroom/Concessions	-Permanent cleaned daily
	Portable serviced bi-weekly.
Safety Check (lights, glass,	-2-3 times per week
fence, bleachers)	L L
Pitcher Mound	-As scheduled for games
Field Lights	-Infield 30 foot-candles
Evers, Denia, N Lakes, F. Moore	-Outfield 20 foot-candles
Roberts Field & Mack	-50/30
Parking Lot	-As scheduled for games
Scoreboards	-Replace bulbs as needed.
Trades Maintenance Program	
Turf Irrigation Systems	-Monthly inspections & repairs as needed.
Parking lots	-Quarterly inspections
Ballfield lights	-Monthly inspection & bulb replacement (if needed).
Bleachers	-Quarterly inspections
Fences & Backstops	-Quarterly inspections
Parking Lot Striping	-Yearly inspections
Restrooms & Concessions	-Plumbing, electrical and structural repairs as needed.
Scoreboards	-Annual off season service or as needed
Softball Field	
Annual Off Season Maintenance	-Once a year add clay material if needed.
	-Till up clay area to break up hard spots.
	-Blade clay areas to proper grade.
	-Remove any silt build up along grass and fence lines.
	-Check outfield grass area for high and or low areas, and
Grounds Maintenance - League play,	for large cracks, silt in material if needed.
good quality, maintain safety standards	
Maintained -	-As scheduled for games
Restroom/Concessions	-Permanent cleaned daily - Portable serviced weekly
Safety Check (lights, glass, fence, bleachers)	-2-3 times per week
Pitcher Mound	-As scheduled for games
Lights	-Infield 30 foot-candles
Denia, Evers & North Lakes	-Outfield 20 foot-candles
Parking Lot	-As scheduled for games
	The seniouriou for gailles

Scoreboards	-Replace bulbs as needed
Trades Maintenance Program	
Turf Irrigation Systems	-Monthly inspections
Drinking Fountains	-Quarterly inspections
	-Winterize November 15-March 15
Parking lots	-Quarterly inspections
Ballfield lights	-Monthly inspection & bulb replacement (if needed).
Bleachers	-Quarterly inspections
Fences & Backstops	-Quarterly inspections
Parking Lot Striping	-Yearly inspections
Restrooms & Concessions	-Plumbing, electrical and structural repairs as needed.
Scoreboards	-Annual off season service or as needed
Soccer/Football/Rugby Fields	
Grounds Maintenance - League play,	
good quality, maintain safety standards	-Line with paint weekly.
Maintained -	-As scheduled for games
Restroom/Concessions	-Permanent cleaned daily & portable serviced bi-weekly
Safety Check (lights, glass,	-2-3 times per week
fence, bleachers)	
Lights	-20 foot-candles
Parking Lot	-As scheduled for games
Tradas Maintananaa Dragram	
Trades Maintenance Program	Monthly inspections
Turf Irrigation Systems	-Monthly inspections
Parking lots Pallfield lights	-Quarterly inspections Monthly inspection & hulb replacement (if needed)
Ballfield lights Bleachers	-Monthly inspection & bulb replacement (if needed).
	-Quarterly inspections
Parking Lot Striping	-Yearly inspections